




# NU-LARGE

## U BRACKET - ALUMINUM EXTRUSION




- U Brackets offer a taller reveal to hide fixtures and mounting hardware
- Mounts a large family of fixtures
- Best for wall applications
- Brackets surface mount from the side via included wall mounting clip
- Paintable finish
- Intended for indoor use only
- Screw mounting track for field installation fixtures
- Inline bracket slot for seamless run connections

1 PRODUCT	2 FINISH	3 LENGTH (IN)
<b>NU-LARGE</b>		

Sample Part Number: **NU-LARGE-ST-48"**

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NU-LARGE	ST BK Satin Black	1" increments from 2" - 98.43" Tolerance +0.0"/-0.5" Light engine ordered separately

## 1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES



Field modifications must comply with QTL's installation methods otherwise warranty is null & void | Surface mount



# NU-LARGE

## U BRACKET - ALUMINUM EXTRUSION

### 2 FINISH



Satin


Black

### COMPATIBILITY CHART

	OPTI	TORQ	BOXA	KURV	ZALA	VERS
Lens Notes	Works with: 40D lens, 60D lens, 70D lens, 90D lens, 110D lens, 155D lens, ASYM lens, FT Lens	Works with: TORQ-01, TORQ-03				Works with: VER-01, VERS-02, VERS-03, VERS-05, VERS-06, VERS-07, VERS-08, VERS-09
SST-01 Stainless Steel Clip	✓	✓				
CC-01 Concealed Clip						✓
WSC White Snug Clip			✓	✓	✓	
VHB			✓	✓	✓	

### PHOTOMETRIC PERFORMANCE


Order separately | Tested with SW24/5.0 at 3000K





**NU-LARGE**  
U BRACKET - ALUMINUM EXTRUSION

**JOINER/CONNECTORS**




Inline Bracket

1 per length included

6/32" stainless steel, flat tip set  
screws, 1/8" long

**WALL MOUNT**



U-Bracket Wall Mounting Clip

2 provided for 4' or less; 4  
provided for greater than 4'

Each clip comes with a #6 x  
3/4" Rounded Head screw.