

NU-LARGE

U BRACKET - ALUMINUM EXTRUSION






- U Brackets offer a taller reveal to hide fixtures and mounting hardware
- Mounts a large family of fixtures
- Best for wall applications
- Brackets surface mount from the side via included wall mounting clip
- Paintable finish
- Suitable for indoor and outdoor use. Follow installation requirements for outdoor applications
- Screw mounting track for field installation fixtures
- Inline bracket slot for seamless run connections

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NU-LARGE		


Sample Part Number: **NU-LARGE-ST-48"**

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NU-LARGE	**ST** Satin **BK** Black	1" increments from 2" - 98.43", Bracket Tolerance +0 -1/8". Light engine ordered separately


1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES




Profile



Profile with: OPTI-02 FT Lens



Profile with: TORQ-01



Profile with: VERS-09

Field modifications must comply with QTL's installation methods otherwise warranty is null & void | Surface mount

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NU-LARGE







U BRACKET - ALUMINUM EXTRUSION

2 FINISH

Satin


Black

COMPATIBILITY CHART

	 OPTI	 TORQ	 BOXA	 KURV	 ZALA	 VERS
Lens Notes	Works with: 40D lens, 60D lens, 70D lens, 90D lens, 110D lens, 155D lens, ASYM lens, FT Lens	Works with: TORQ-01, TORQ-03				Works with: VER-01, VERS-02, VERS-03, VERS-05, VERS-06, VERS-07, VERS-08, VERS-09
SST-01 Stainless Steel Clip	✔	✔				
CC-01 Concealed Clip						✔
WSC White Snug Clip			✔	✔	✔	
VHB			✔	✔	✔	

PHOTOMETRIC PERFORMANCE

Order separately | Tested with SW24/5.0 at 3000K




© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NU-LARGE

U BRACKET - ALUMINUM EXTRUSION

JOINER/CONNECTORS




Inline Bracket

1 per length included

6/32” stainless steel, flat tip set screws, 1/8” long

WALL MOUNT

PLC-06



U-Bracket Wall Mounting Clip

2 provided for 4’ or less; 4 provided for greater than 4’

Each clips comes with a #6 x 3/4” Rounded Head screw.

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting