




## WA-24

120V GU10 35W Halogen/8W LED Wall Mount



WA-24 Shown in Bronze Texture  
Powder Coat Finish (BZT)



Dimensions: 3" dia. x 6 1/8"

- 1" regressed lens cap; holds up to two accessories
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- Junction box mount design.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Maximum Wattage: 35W Halogen/8W LED
- Input Voltage: 120V
- Socket: GU 10 Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for wall mounted fixed downlighting and uplighting applications.

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-24	A		

Sample Part Number: WA-24-A-1-BK

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-24	A Aluminum	<p>1 4/0 Round Mounting Plate 2 4/0 Square Mounting Plate 3 3/0 Round Mounting Plate</p>	<p>BG Beige BB Black Bronze BK Black BKT Black Texture BZ Bronze BZT Bronze Texture SL Silver WH White</p>


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



## WA-24

### 120V GU10 35W Halogen/8W LED Wall Mount

#### 1 PRODUCT - DIMENSIONS



#### 2 MATERIAL



Aluminum

#### 3 MOUNTING PLATE

Three mounting plate options



4/0 Round  
Mounting Plate  
MT-25



4/0 Square  
Mounting Plate  
MT-26



3/0 Round  
Mounting Plate  
MT-27

#### 4 FINISH

Eight Standard TGIC Free powder coat finishes



Beige

Black

Black Texture

Bronze



Bronze Texture

Black Bronze

Silver

White



## WA-24

120V GU10 35W Halogen/8W LED Wall Mount

### LAMPS

MR16 Halogen or LED; GU10 Porcelain  
Maximum wattage: 35W Halogen/8W LED

