


**WA-3**

12V 50W MR16 Wall Mount

**10 YEAR
WARRANTY**
ALUMINUM
MADE IN AMERICA
FROM DOMESTIC &
FOREIGN PARTS



WA-3 Shown in Bronze Texture
Powder Coat Finish (BZT)

Weight: 1.9lbs
Overall Dimensions: 2 3/8" diameter, 5 1/2" overall

- Machined 6061-T6 copper-free aluminum. Aluminum components are black anodized, then a polyester powder coat finish is applied.
- Remote transformer required.
- Stainless steel hardware.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Molded silicone wire pass-thru attached to socket wire prevents wicking and water leaking into the lamp compartment.
- Maximum Wattage: 50 watt, 8 watt LED
- Input Voltage: 12V (remote transformer required)
- Socket: GY-6.35 Bi Pin Porcelain
- IP Rating: 66

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-3	A		

Sample Part Number: **WA-3-AL-2-BK**

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-3	A 6061 - T6 Aluminum	<p>1 4/0 Round Mounting Plate 2 4/0 Square Mounting Plate 3 3/0 Round Mounting Plate</p>	<p>AC Aged Copper BG Beige BK Black BKT Black Texture BZ Bronze BZT Bronze Texture CA Clear Anodized SL Silver WH White</p>


10 year warranty for aluminum | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



WA-3

12V 50W MR16 Wall Mount

1 PRODUCT - DIMENSIONS



2 MATERIAL



6061 - T6 Aluminum

3 MOUNTING PLATE

Three mounting plate options



4/0 Round
Mounting Plate
5" diameter




4/0 Square
Mounting Plate
5" Square



3/0 Round
Mounting Plate
4" diameter

4 FINISH

Standard TGIC powder coat finishes and Clear Anodized finish available



Aged Copper

Beige

Black

Black Texture

Bronze



Bronze Texture

Clear Anodized

Silver

White



WA-3

12V 50W MR16 Wall Mount

ACCESSORIES - COLOR FILTERS

Holds up to three accessories. Wire Filter Holder is included for each color filter to hold filter in place.

BL Blue Glass Filter	LB Light Blue Glass Filter	PK Pink Glass Filter	AM Amber Glass Filter	MV Mercury Vapor Glass Filter	RD Red Glass Filter	GR Green Glass Filter	DA Dichroic Amber Glass Filter
To order separately use AY-2-MR-16-BL	To order separately use AY-2-MR-16-LB	To order separately use AY-2-MR-16-PK	To order separately use AY-2-MR-16-AM	To order separately use AY-2-MR-16-MV	To order separately use AY-2-MR-16-RD	To order separately use AY-2-MR-16-GR	To order separately use AY-2-MR-16-DA

ACCESSORIES - LENS

Holds up to three accessories

SP Spread Lens	LI Linear Lens	SO Softening Lens	LV Louver Lens	WI Wire Holder	FR Frosted Lens
To order separately use AY-1-MR16-1	To order separately use AY-1-MR16-2	To order separately use AY-1-MR16-3	To order separately use AY-1-MR16-4	To order separately use AY-1-MR16-5	To order separately use AY-1-MR16-6

LAMPS

MR16 SORAA	MR16 DAUER	MR16 BRILLIANCE	MR16 EMERY ALLEN

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS