




## WA-40

120V GU10 35W Halogen/8W LED Dual Wall Mount



- Two 30° angled lens caps; holds up to two accessories.
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- Junction box mount design.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Maximum Wattage: 35W Halogen(x2)/8W LED (X2)
- Input Voltage: 120V
- Socket: GU10 Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for wall mounted fixed downlighting and uplighting applications.

WA-40 Shown in Bronze Texture  
Powder Coat Finish (BZT)

Dimensions: 3" dia. x 13 1/4"

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-40	A		

Sample Part Number: WA-40-A-1-BK

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-40	A Aluminum	<p>1 4/0 Round Mounting Plate 2 4/0 Square Mounting Plate 3 3/0 Round Mounting Plate</p>	<p><b>BG</b> Beige  <b>BB</b> Black Bronze  <b>BK</b> Black  <b>BKT</b> Black Texture  <b>BZ</b> Bronze  <b>BZT</b> Bronze Texture  <b>SL</b> Silver  <b>WH</b> White</p>


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



## WA-40

120V GU10 35W Halogen/8W LED Dual Wall Mount

### 1 PRODUCT - DIMENSIONS



### 2 MATERIAL



Aluminum

### 3 MOUNTING PLATE

Three mounting plate options



4/0 Round  
Mounting Plate  
MT-25



4/0 Square  
Mounting Plate  
MT-26



3/0 Round  
Mounting Plate  
MT-27

### 4 FINISH

Eight Standard TGIC Free powder coat finishes



Beige

Black

Black Texture

Bronze



Bronze Texture

Black Bronze

Silver

White



## WA-40

120V GU10 35W Halogen/8W LED Dual Wall Mount

### LAMPS

MR16 Halogen or LED; GU10 Porcelain

Maximum wattage: 35W Halogen(x2)/8W LED(x2)

