





## WA-7

12V MR16 35W Halogen/8W LED Dual Wall Mount



WA-7 Shown in Bronze Texture  
Powder Coat Finish (BZT)



Dimensions: 2 1/2" dia. x 8 1/8"

- Two Flush lens caps; holds up to three accessories
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Molded silicone wire pass-thru attached to socket wire prevents wicking and water leaking into the lamp compartment.
- Maximum Wattage: 35W Halogen(x2)/8W LED (x2)
- Input Voltage: 12V (remote transformer required)
- Socket: GU5.3 Bi Pin Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for wall mounted fixed downlighting and uplighting applications.

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-7	A		

Sample Part Number: **WA-7-A-1-BK**

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 FINISH
WA-7	A Aluminum	1 4/0 Round Mounting Plate 2 4/0 Square Mounting Plate 3 3/0 Round Mounting Plate	<b>BG</b> Beige <b>BB</b> Black Bronze <b>BK</b> Black <b>BKT</b> Black Texture <b>BZ</b> Bronze <b>BZT</b> Bronze Texture <b>SL</b> Silver <b>WH</b> White


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



## WA-7

12V MR16 35W Halogen/8W LED Dual Wall Mount

### 1 PRODUCT - DIMENSIONS



### 2 MATERIAL



Aluminum


### 3 MOUNTING PLATE

Three mounting plate options



### 4 FINISH

Eight Standard TGIC Free powder coat finishes



Bronze Texture

Black Bronze

Silver

White



## WA-7

12V MR16 35W Halogen/8W LED Dual Wall Mount

### ACCESSORIES - COLOR FILTERS

Holds up to three accessories. Wire Filter Holder is included for each color filter to hold filter in place.

BL Blue Glass Filter	LB Light Blue Glass Filter	PK Pink Glass Filter	AM Amber Glass Filter	MV Mercury Vapor Glass Filter	RD Red Glass Filter	GR Green Glass Filter	DA Dichroic Amber Glass Filter
To order separately use AY-2-MR-16-BL	To order separately use AY-2-MR-16-LB	To order separately use AY-2-MR-16-PK	To order separately use AY-2-MR-16-AM	To order separately use AY-2-MR-16-MV	To order separately use AY-2-MR-16-RD	To order separately use AY-2-MR-16-GR	To order separately use AY-2-MR-16-DA

### ACCESSORIES - LENS

Holds up to three accessories

SP Spread Lens	LI Linear Lens	SO Softening Lens	LV Louver Lens	WI Wire Holder	FR Frosted Lens
To order separately use AY-1-MR16-1	To order separately use AY-1-MR16-2	To order separately use AY-1-MR16-3	To order separately use AY-1-MR16-4	To order separately use AY-1-MR16-5	To order separately use AY-1-MR16-6

### LAMPS

MR16 Halogen or LED; GU5.3 Bi Pin Porcelain  
Maximum wattage: 35W Halogen(x2)/8W LED(x2)

EMERY ALLEN 1.0W, 3.0W, 5.0W, 7.0W	EMERY ALLEN 3W AMBER

### COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS