




# DL-7

## 12V MR11 20W Halogen/2W LED Down Light



- Regressed lens cap; holds up to one accessory
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- 10" of 18ga. Teflon coated wire leads.
- Tempered clear glass lens.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Molded silicone wire pass-thru attached to socket wire prevents wicking and water leaking into the lamp compartment.
- Maximum Wattage: 20W Halogen/2W LED
- Input Voltage: 12V (remote transformer required)
- Socket: GU4 Bi-Pin Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for fixed downlighting applications. Can be utilized for pergola and other exterior installations.

DL-7 Shown in Bronze Texture Powder Coat Finish (BZT)

Dimensions: 1 3/4" dia. x 3 1/4"

| 1       | 2        | 3              | 4           | 5      |
|---------|----------|----------------|-------------|--------|
| PRODUCT | MATERIAL | MOUNTING PLATE | STEM LENGTH | FINISH |
| DL-7    | A        |                |             |        |

Sample Part Number: DL-7-A-1-0-BK

| 1       | 2          | 3   | 4  | 5   |
|---------|------------|---|--|---|
| PRODUCT | MATERIAL   | MOUNTING PLATE  | STEM LENGTH  | FINISH  |
| DL-7    | A Aluminum | <div>1 4/0 Round Mounting Plate</div> <div>2 3/0 Round Mounting Plate</div> <div>3 Surface MT-11</div> <div>4 Surface MT-21</div> | <div>0 No Stem</div> <div>3 3" Stem Length</div> <div>6 6" Stem Length</div> <div>9 9" Stem Length</div> <div>12 12" Stem Length</div> <div>18 18" Stem Length</div> | <div>BG Beige</div> <div>BB Black Bronze</div> <div>BK Black</div> <div>BKT Black Texture</div> <div>BZ Bronze</div> <div>BZT Bronze Texture</div> <div>SL Silver</div> <div>WH White</div> |

5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance




DL-7

12V MR11 20W Halogen/2W LED Down Light

1

PRODUCT - DIMENSIONS



2

MATERIAL



3

MOUNTING PLATE


1/2" NPS



4

FINISH

Eight Standard TGIC Free powder coat finishes













DL-7

12V MR11 20W Halogen/2W LED Down Light







ACCESSORIES - COLOR FILTERS

Holds up to one accessories Wire Filter Holder is included for each color filter in place.

|   |   |   |  |  |  |  |   |
|---|---|---|--|--|--|--|---|
| <div>BL</div> <div></div> <div>Blue Glass Filter</div> <div>To order separately use AY-2-MR11-BL</div> | <div>LB</div> <div></div> <div>Light Blue Glass Filter</div> <div>To order separately use AY-2-MR11-LB</div> | <div>PK</div> <div></div> <div>Pink Glass Filter</div> <div>To order separately use AY-2-MR11-PK</div> | <div>AM</div> <div></div> <div>Amber Glass Filter</div> <div>To order separately use AY-2-MR11-AM</div> | <div>MV</div> <div></div> <div>Mercury Vapor Glass Filter</div> <div>To order separately use AY-2-MR11-MV</div> | <div>RD</div> <div></div> <div>Red Glass Filter</div> <div>To order separately use AY-2-MR11-RD</div> | <div>GR</div> <div></div> <div>Green Glass Filter</div> <div>To order separately use AY-2-MR11-GR</div> | <div>DA</div> <div></div> <div>Dichroic Amber Glass Filter</div> <div>To order separately use AY-2-MR11-DA</div> |
|---|---|---|--|--|--|--|---|



ACCESSORIES - LENS

Holds up to one accessories

|  |  |   |  |  |   |
|--|--|---|--|--|---|
| <div>SP</div> <div></div> <div>Spread Lens</div> <div>To order separately use AY-1-MR11-1</div> | <div>LI</div> <div></div> <div>Linear Lens</div> <div>To order separately use AY-1-MR11-2</div> | <div>SO</div> <div></div> <div>Softening Lens</div> <div>To order separately use AY-1-MR11-3</div> | <div>LV</div> <div></div> <div>Louver Lens</div> <div>To order separately use AY-1-MR11-4</div> | <div>WI</div> <div></div> <div>Wire Holder</div> <div>To order separately use AY-1-MR11-5</div> | <div>FR</div> <div></div> <div>Frosted Lens</div> <div>To order separately use AY-1-MR11-6</div> |
|--|--|---|--|--|---|

LAMPS

MR11 Halogen or LED; GU4 Bi Pin Porcelain  
Maximum wattage: 20W Halogen/2W LED

|   |   |
|---|---|
| <div>MR11</div> <div></div> <div>EMERY ALLEN</div> <div>1.5W</div> | <div>MR11</div> <div></div> <div>EMERY ALLEN</div> <div>1.5W</div> |
|---|---|

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

| DIMMING<br>PROTOCOL | OUTDOOR  |
|---------------------|--|
|                     | LANDSCAPE LIGHTING                                     |
| Phase               | Q-HEX<br>Q-SET-1<br>Q-SET-2<br>Q-SET-3<br>QOMD<br>QOMS |