


**DL-8**

12V MR11 20W Halogen/2W LED Down Light



DL-8 Shown in Bronze Texture Powder Coat Finish (BZT)



Dimensions: 1 3/4" dia. x 4 1/2"

- 45° angled cap; holds up to one accessory
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- 10" of 18ga. Teflon coated wire leads.
- Tempered clear glass lens.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Molded silicone wire pass-thru attached to socket wire prevents wicking and water leaking into the lamp compartment.
- Maximum Wattage: 20W Halogen/2W LED
- Input Voltage: 12V (remote transformer required)
- Socket: GU4 Bi-Pin Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for fixed downlighting applications. Can be utilized for pergola and other exterior installations.

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 STEM LENGTH	5 FINISH
DL-8	A			

Sample Part Number: DL-8-A-1-0-BK

1 PRODUCT	2 MATERIAL	3 MOUNTING PLATE	4 STEM LENGTH	5 FINISH
DL-8	A Aluminum	<p>1 4/0 Round Mounting Plate 2 3/0 Round Mounting Plate 3 Surface MT-11 4 Surface MT-21</p>	<p>0 No Stem 3 3" Stem Length 6 6" Stem Length 9 9" Stem Length 12 12" Stem Length 18 18" Stem Length</p>	<p>BG Beige BB Black Bronze BK Black BKT Black Texture BZ Bronze BZT Bronze Texture SL Silver WH White</p>


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



DL-8

12V MR11 20W Halogen/2W LED Down Light

1 PRODUCT - DIMENSIONS



2 MATERIAL



Aluminum

3 MOUNTING PLATE

1/2" NPS



4/0 Round
Mounting Plate
MT-25



3/0 Round
Mounting Plate
MT-27




Surface
Mount Kit
MT-11



Surface
Mount Canopy
MT-21

4 FINISH

Eight Standard TGIC Free powder coat finishes



Beige

Black

Black Texture

Bronze



Bronze Texture

Black Bronze

Silver

White



DL-8

12V MR11 20W Halogen/2W LED Down Light

ACCESSORIES - COLOR FILTERS

Holds up to one accessories Wire Filter Holder is included for each color filter to hold filter in place.

BL	LB	PK	AM	MV	RD	GR	DA
Blue Glass Filter To order separately use AY-2-MR11-BL	Light Blue Glass Filter To order separately use AY-2-MR11-LB	Pink Glass Filter To order separately use AY-2-MR11-PK	Amber Glass Filter To order separately use AY-2-MR11-AM	Mercury Vapor Glass Filter To order separately use AY-2-MR11-MV	Red Glass Filter To order separately use AY-2-MR11-RD	Green Glass Filter To order separately use AY-2-MR11-GR	Dichroic Amber Glass Filter To order separately use AY-2-MR11-DA

ACCESSORIES - LENS

Holds up to one accessories

SP	LI	SO	LV	WI	FR
Spread Lens To order separately use AY-1-MR11-1	Linear Lens To order separately use AY-1-MR11-2	Softening Lens To order separately use AY-1-MR11-3	Louver Lens To order separately use AY-1-MR11-4	Wire Holder To order separately use AY-1-MR11-5	Frosted Lens To order separately use AY-1-MR11-6

LAMPS

MR11 Halogen or LED; GU4 Bi Pin Porcelain
Maximum wattage: 20W Halogen/2W LED

MR11	MR11
EMERY ALLEN 1.5W	EMERY ALLEN 1.5W

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS