




## IN-1

12V MR16 35W Halogen/8W LED In-Ground Light



IN-1 Shown in Bronze Texture Powder Coat Finish (BZT)



Dimensions: 3" dia. x 5 length

- 6061 Marine Grade Aluminum components are black anodized, then a polyester powder coat finish is applied.
- Tempered glass lens.
- 6' of 16/2 low voltage cable supplied.
- Maximum Wattage: 35W Halogen/8W LED
- Input Voltage: 12V (remote transformer required)
- Socket: GU5.3 Bi Pin Porcelain
- Wet Listed
- Specification-grade, wet-location direct burial landscape luminaire for uplighting applications.

1 PRODUCT	2 MATERIAL	3 TOP STYLE	4 POUR COLLAR	5 FINISH
IN-1	A			

Sample Part Number: IN-1-A-R-0-BK

1 PRODUCT	2 MATERIAL	3 TOP STYLE	4 POUR COLLAR	5 FINISH
IN-1	A Aluminum	<p>R Round Top S Square Top T Tapered</p>	<p>O None PC Pour Collar</p>	<p><b>BG</b> Beige <b>BB</b> Black Bronze <b>BK</b> Black <b>BKT</b> Black Texture <b>BZ</b> Bronze <b>BZT</b> Bronze Texture <b>SL</b> Silver <b>WH</b> White</p>


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



## IN-1

12V MR16 35W Halogen/8W LED In-Ground Light

### 1 PRODUCT - DIMENSIONS




### 2 MATERIAL



Aluminum

### 5 FINISH

Eight Standard TGIC Free powder coat finishes



Bronze Texture


Black Bronze

Silver

White

### ACCESSORIES - COLOR FILTERS

Holds up to three accessories. Wire Filter Holder is included for each color filter to hold filter in place.






## IN-1

12V MR16 35W Halogen/8W LED In-Ground Light

### ACCESSORIES - LENS

Holds up to three accessories



### LAMPS

MR16 Halogen or LED; GU5.3 Bi Pin Porcelain  
Maximum wattage: 35W Halogen/8W LED



### COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS