




IN-5

12V MR16 35W Halogen/8W LED In-Ground Well Light



IN-5 Shown in Bronze Texture Powder Coat Finish (BZT)

Dimensions: 7 1/2 " square x 11 1/4" height

1 PRODUCT	2 MATERIAL	3 AIMING	4 Fixture Regress	5 FINISH
IN-5	B			

Sample Part Number: IN-5-B-H-1-BK

1 PRODUCT	2 MATERIAL	3 AIMING	4 Fixture Regress	5 FINISH
IN-5	B Bronze	S Standard H Hot Aim	1 1 3/4" 2 3" (standard) 3 4 1/4" (hot-aim)	<p>BG Beige BB Black Bronze BK Black BKT Black Texture BZ Bronze BZT Bronze Texture SL Silver WH White DB Dark Bronze NT Natural</p> <p>DB finish has longer lead time</p>


5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance



IN-5

12V MR16 35W Halogen/8W LED In-Ground Well Light

1 PRODUCT - DIMENSIONS



2 MATERIAL



Bronze

5 FINISH

Eight Standard TGIC Free powder coat finishes and Two natural finish available





IN-5

12V MR16 35W Halogen/8W LED In-Ground Well Light

ACCESSORIES - COLOR FILTERS

Holds up to three accessories Wire Filter Holder is included for each color filter to hold filter in place.

BL Blue Glass Filter	LB Light Blue Glass Filter	PK Pink Glass Filter	AM Amber Glass Filter	MV Mercury Vapor Glass Filter	RD Red Glass Filter	GR Green Glass Filter	DA Dichroic Amber Glass Filter
To order separately use AY-2-MR16-BL	To order separately use AY-2-MR16-LB	To order separately use AY-2-MR16-PK	To order separately use AY-2-MR16-AM	To order separately use AY-2-MR16-MV	To order separately use AY-2-MR16-RD	To order separately use AY-2-MR16-GR	To order separately use AY-2-MR16-DA

ACCESSORIES - LENS

Holds up to three accessories

SP Spread Lens	LI Linear Lens	SO Softening Lens	LV Louver Lens	WI Wire Holder	FR Frosted Lens
To order separately use AY-1-MR16-1	To order separately use AY-1-MR16-2	To order separately use AY-1-MR16-3	To order separately use AY-1-MR16-4	To order separately use AY-1-MR16-5	To order separately use AY-1-MR16-6

LAMPS

MR16 Halogen or LED; GU5.3 Bi Pin Porcelain
Maximum wattage: 35W Halogen/8W LED

EMERY ALLEN	EMERY ALLEN
1.0W, 3.0W, 5.0W, 7.0W	3W AMBER

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS