




## NJ-LARGE

### J BRACKET - ALUMINUM EXTRUSION




- J bracket featuring a slight reveal to hide the fixture
- Mounts a large family of fixtures
- Surface mounts from the side, best for wall applications
- Paintable finish
- Intended for indoor use only
- Screw mounting track for field installation of fixtures
- Inline brackets slot for seamless run connections
- Durable anodized aluminum

1 PRODUCT	2 FINISH	3 LENGTH (IN)
<b>NJ-LARGE</b>		


Sample Part Number: **NJ-LARGE-ST-48"**

1 PRODUCT	2 FINISH	3 LENGTH (IN)
<b>NJ-LARGE</b>	<b>ST</b> <b>BK</b> Satin Black	1" increments from 2" - 98.43" Tolerance +0.0"/-0.5" Light engine ordered separately


## 1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES




Profile



Profile with: OPTI-02 FT Lens



Profile with: TORQ-01



Profile with: VERS-09

Field modifications must comply with QTL's installation methods otherwise warranty is null & void | Surface mount



# NJ-LARGE

## J BRACKET - ALUMINUM EXTRUSION

### 2 FINISH



Satin


Black

### COMPATIBILITY CHART

	VEVE	OPTI	VERS	TORQ	BOXA	KURV	ZALA
Lens Notes	Works with: VEVE-01, VEVE-03	Works with: 40D lens, 60D lens, 70D lens, 90D lens, 110D lens, 155D lens, ASYM lens, FT Lens	Works with: VERS-01, VERS-02, VERS-03, VERS-05, VERS-06, VERS-07, VERS-08, VERS-09	Works with: TORQ-01, TORQ-03			
SST-01 Stainless Steel Clip	✓	✓		✓			
CC-01 Concealed Clip			✓				
WSC White Snug Clip					✓	✓	✓
VHB					✓	✓	✓

### PHOTOMETRIC PERFORMANCE

Order separately | Tested with SW24/5.0 at 3000K






## NJ-LARGE

### J BRACKET - ALUMINUM EXTRUSION

#### JOINER/CONNECTORS



Inline Bracket

1 per length included

6/32" stainless steel, flat tip set  
screws, 1/8" long