





## WA-30

120V PAR20 35W Halogen/11W LED Dual  
Wall Mount

5 YEAR  
WARRANTY



WA-30 Shown in Bronze Texture  
Powder Coat Finish (BZT)



Dimensions: 3" dia. x 13 3/4"

- Two 1" regressed lens caps; holds up to two accessories
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- Junction box mount design.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Maximum Wattage: 35W Halogen(x2)/11W LED(x2)
- Input Voltage: 120V
- Socket: Medium base ceramic
- Wet Listed
- Specification-grade, wet-location landscape luminaire for wall mounted fixed downlighting and uplighting applications.

1	2	3	4
PRODUCT	MATERIAL	MOUNTING PLATE	FINISH
WA-30	A		

Sample Part Number: **WA-30-A-1-BK**

1	2	3	4
PRODUCT	MATERIAL	MOUNTING PLATE	FINISH
WA-30	A Aluminum	1 4/0 Round Mounting Plate 2 4/0 Square Mounting Plate 3 3/0 Round Mounting Plate	BG Beige BB Black Bronze BK Black BKT Black Texture BZ Bronze BZT Bronze Texture SL Silver WH White

5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance




WA-30

120V PAR20 35W Halogen/11W LED Dual Wall Mount

1

PRODUCT - DIMENSIONS



2

MATERIAL



3

MOUNTING PLATE

Three mounting plate options



4

FINISH

Eight Standard TGIC Free powder coat finishes











**WA-30**

120V PAR20 35W Halogen/11W LED Dual Wall Mount

**ACCESSORIES - LENS**

Holds up to two accessories

<b>SP</b>  Spread Lens To order separately use AY-1-PAR20-1	<b>LI</b>  Linear Lens To order separately use AY-1-PAR20-2	<b>SO</b>  Softening Lens To order separately use AY-1-PAR20-3	<b>LV</b>  Louver Lens To order separately use AY-1-PAR20-4	<b>WI</b>  Wire Holder To order separately use AY-1-PAR20-5	<b>FR</b>  Frosted Lens To order separately use AY-1-PAR20-6
--	--	---	--	--	---

**LAMPS**

PAR20 Medium base ceramic  
Maximum wattage: 35W Halogen(x2)/11W LED(x2)

<b>PAR20</b>  SORAA VIVID 11.0W	<b>PAR20</b>  SORAA BRILLIANT 8.5W, 11.0W
---	---