




# VERS-ASYMMETRIC (09) STATIC WHITE

## 24VDC Linear Fixtures - Surface & Recessed



- When surface-mounted, this VERSatile fixture directs the light in an asymmetrical direction without having to angle the fixture, making it an excellent solution for illuminating artwork, signage, or even washing a ceiling detail.
- Features an extruded asymmetric lens with a proprietary diffusing agent that allows for light to be focused in a tight 45° beam that is shifted 30° off center
- Features integrated metal endcaps
- Mounting options include a concealed or magnetic clip
- With an internal White Optics coating, the fixture achieves greater lumen output
- Durable anodized aluminum housings
- Consult factory for field assembly options
- Optional plastic louver accessory available in white or black for added glare control

### INFORMATION REQUIRED FOR LIGHTING SCHEDULE

| 1       | 2         | 3   | 4     | 5    | 6               |
|---------|-----------|-----|-------|------|-----------------|
| PRODUCT | WATTS/ FT | CCT | RATED | LENS | EXTERNAL LOUVER |
|         |           |     | DRY   | ASYM |                 |

### ADDITIONAL INFORMATION REQUIRED TO ORDER

| 7                  | 8                  | 9                   | 10         | 11        | 12       | 13     | 14          | 15             |
|--------------------|--------------------|---------------------|------------|-----------|----------|--------|-------------|----------------|
| WIRE INPUT/ OUTPUT | CONNECTOR/ WIRE IN | CONNECTOR/ WIRE OUT | WIRE COLOR | WIRE TYPE | MOUNTING | FINISH | LENGTH (IN) | EXACT/ OPTIMAL |
|                    |                    |                     |            |           |          |        |             |                |

Sample Part Number: **VERS-09-SW-5.0-30-DRY-ASYM-N/A-PIA-BW-BW-BK-CL2-CC-BK-48"-E**

|  |  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
|--|--|----------|---------|--------------|---|-------------|----------------|-------------|---------|----------------|--------------------|----------------|--------------------------------|-----------------|-----------------------|--|------------|---|-----|----------|-----|-------------|-----|-------------|-----|----------------|---|--|-----|----------------------|-----|------------------------|--|-------|---|------|--------------|---|---|-------|--------------------------|-------|---------------|-------|---------------|--|-----|----------------------|----|--------------------------|------|--------------|-------|---------------|---|----|-------|----|-------|
| <b>1 PRODUCT</b><br><b>VERS-09-SW</b><br><b>VERS-09-SW-USA</b><br><br>Select USA option for BAA and BABA projects.<br><br>See following pages for compatible power supplies.   | <b>2 WATTS/FT</b><br><table><tr><td>1.5</td><td>1.5W/ft</td></tr><tr><td>3.0</td><td>3.0W/ft</td></tr><tr><td>4.0</td><td>4.0W/ft</td></tr><tr><td>5.0</td><td>5.0W/ft</td></tr><tr><td>1.5HE</td><td>1.5W/ft HE</td></tr><tr><td>3.0HE</td><td>3.0W/ft HE</td></tr><tr><td>6.0HE</td><td>6.0W/ft HE</td></tr><tr><td>9.0HE</td><td>9.0W/ft HE</td></tr></table> | 1.5      | 1.5W/ft | 3.0          | 3.0W/ft   | 4.0         | 4.0W/ft        | 5.0         | 5.0W/ft | 1.5HE          | 1.5W/ft HE         | 3.0HE          | 3.0W/ft HE                     | 6.0HE           | 6.0W/ft HE            | 9.0HE  | 9.0W/ft HE | <b>3 CCT</b><br><table><tr><td>18</td><td>1800K</td></tr><tr><td>20</td><td>2000K</td></tr><tr><td>22</td><td>2200K</td></tr><tr><td>24</td><td>2400K</td></tr><tr><td>27</td><td>2700K</td></tr><tr><td>30</td><td>3000K</td></tr><tr><td>35</td><td>3500K</td></tr><tr><td>40</td><td>4000K</td></tr></table> | 18  | 1800K    | 20  | 2000K       | 22  | 2200K       | 24  | 2400K          | 27  | 2700K  | 30  | 3000K                | 35  | 3500K                  | 40   | 4000K | <b>4 RATED</b><br><table><tr><td>DRY</td><td>IP20</td></tr></table> | DRY  | IP20         | <b>5 LENS</b><br><b>ASYM</b> Asymmetric<br><br>For representation of LED visibility, see Diode Visibility section on following pages. For beam angles, see Photometric Performance section on following pages | <b>6 EXTERNAL LOUVER</b><br><table><tr><td>L1-WH</td><td>White Plastic</td></tr><tr><td>L1-BK</td><td>Black Plastic</td></tr><tr><td>N/A</td><td>No Louver</td></tr></table><br>Plastic Louvers come in 12" lengths, multiple pieces will be used to match fixture length. White and custom painted finishes are not compatible with L2 external louvers. | L1-WH | White Plastic            | L1-BK | Black Plastic | N/A   | No Louver     |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 1.5  | 1.5W/ft  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 3.0  | 3.0W/ft  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 4.0  | 4.0W/ft  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 5.0  | 5.0W/ft  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 1.5HE  | 1.5W/ft HE   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 3.0HE  | 3.0W/ft HE   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 6.0HE  | 6.0W/ft HE   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 9.0HE  | 9.0W/ft HE   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 18   | 1800K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 20   | 2000K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 22   | 2200K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 24   | 2400K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 27   | 2700K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 30   | 3000K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 35   | 3500K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| 40   | 4000K  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| DRY  | IP20   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| L1-WH  | White Plastic  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| L1-BK  | Black Plastic  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| N/A  | No Louver  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| <b>7 WIRE INPUT/OUTPUT</b><br><br><b>SINGLE (Input only)</b><br><table><tr><td>S1A</td><td>End Feed</td></tr><tr><td>S1B</td><td>End Feed</td></tr><tr><td>S2A</td><td>Bottom Feed</td></tr><tr><td>S2B</td><td>Bottom Feed</td></tr><tr><td>S3A</td><td>Left Side Feed</td></tr><tr><td>S3B</td><td>Left Side Feed</td></tr><tr><td>S4A</td><td>Right Side Feed</td></tr><tr><td>S4B</td><td>Right Side Feed</td></tr></table><br><b>PASS THROUGH (Input/output)</b><br><table><tr><td>P1A</td><td>End Feed</td></tr><tr><td>P1B</td><td>End Feed</td></tr><tr><td>P2A</td><td>Bottom Feed</td></tr><tr><td>P2B</td><td>Bottom Feed</td></tr><tr><td>P3A</td><td>Left Side Feed</td></tr><tr><td>P3B</td><td>Left Side Feed</td></tr><tr><td>P4A</td><td>Right Side Feed</td></tr><tr><td>P4B</td><td>Right Side Feed</td></tr></table> | S1A  | End Feed | S1B     | End Feed     | S2A   | Bottom Feed | S2B            | Bottom Feed | S3A     | Left Side Feed | S3B                | Left Side Feed | S4A                            | Right Side Feed | S4B                   | Right Side Feed  | P1A        | End Feed  | P1B | End Feed | P2A | Bottom Feed | P2B | Bottom Feed | P3A | Left Side Feed | P3B   | Left Side Feed   | P4A | Right Side Feed      | P4B | Right Side Feed        | <b>8 CONNECTOR/WIRE IN</b><br><table><tr><td>BW</td><td>Bare Wire (Standard 36")</td></tr><tr><td>CON6</td><td>Connector 6"</td></tr><tr><td>CON24</td><td>Connector 24"</td></tr></table><br><br><table><tr><td>BW</td><td>Bare Wire (Standard 36")</td></tr><tr><td>CON6</td><td>Connector 6"</td></tr><tr><td>CON24</td><td>Connector 24"</td></tr></table> | BW    | Bare Wire (Standard 36")  | CON6 | Connector 6" | CON24   | Connector 24"   | BW    | Bare Wire (Standard 36") | CON6  | Connector 6"  | CON24 | Connector 24" | <b>9 CONNECTOR/WIRE OUT</b><br><table><tr><td>CLS</td><td>Closed End (No feed)</td></tr></table><br><br><table><tr><td>BW</td><td>Bare Wire (Standard 36")</td></tr><tr><td>CON6</td><td>Connector 6"</td></tr><tr><td>CON24</td><td>Connector 24"</td></tr></table> | CLS | Closed End (No feed) | BW | Bare Wire (Standard 36") | CON6 | Connector 6" | CON24 | Connector 24" | <b>10 WIRE COLOR</b><br><table><tr><td>WH</td><td>White</td></tr><tr><td>BK</td><td>Black</td></tr></table> | WH | White | BK | Black |
| S1A  | End Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S1B  | End Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S2A  | Bottom Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S2B  | Bottom Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S3A  | Left Side Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S3B  | Left Side Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S4A  | Right Side Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| S4B  | Right Side Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P1A  | End Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P1B  | End Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P2A  | Bottom Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P2B  | Bottom Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P3A  | Left Side Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P3B  | Left Side Feed   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P4A  | Right Side Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| P4B  | Right Side Feed  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BW   | Bare Wire (Standard 36")   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON6   | Connector 6"   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON24  | Connector 24"  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BW   | Bare Wire (Standard 36")   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON6   | Connector 6"   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON24  | Connector 24"  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CLS  | Closed End (No feed)   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BW   | Bare Wire (Standard 36")   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON6   | Connector 6"   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CON24  | Connector 24"  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| WH   | White  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BK   | Black  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| <b>11 WIRE TYPE</b><br><table><tr><td>CL2</td><td>Class 2</td></tr><tr><td>CL2P</td><td>Plenum Rated</td></tr></table><br>CL2P only available with bare wire leads (BW)  | CL2  | Class 2  | CL2P    | Plenum Rated | <b>12 MOUNTING</b><br><table><tr><td>CC</td><td>Concealed Clip</td></tr><tr><td>MG</td><td>Magnet</td></tr><tr><td>TBC-03</td><td>9/16" Flat TB-Grid</td></tr><tr><td>TBC-04</td><td>15/16" Flat or Tegular TB-Grid</td></tr><tr><td>TBC-05</td><td>9/16" Tegular TB-Grid</td></tr></table> | CC          | Concealed Clip | MG          | Magnet  | TBC-03         | 9/16" Flat TB-Grid | TBC-04         | 15/16" Flat or Tegular TB-Grid | TBC-05          | 9/16" Tegular TB-Grid | <b>13 FINISH</b><br><table><tr><td>ST</td><td>Satin</td></tr><tr><td>BK</td><td>Black</td></tr><tr><td>BZ</td><td>Bronze</td></tr><tr><td>WH</td><td>White</td></tr><tr><td>CU</td><td>Custom</td></tr></table><br>White and custom finishes are incompatible with external louvers; custom finishes have longer lead times. Non-RAL 9003 whites custom. | ST         | Satin   | BK  | Black    | BZ  | Bronze      | WH  | White       | CU  | Custom         | <b>14 LENGTH (IN)</b><br>Minimum length is 12", maximum length is 98" not including end caps. Contact us for lengths under 12". | <b>15 EXACT/OPTIMAL</b><br><table><tr><td>O</td><td>Optimal Illumination</td></tr><tr><td>E</td><td>Exact Specified Length</td></tr></table><br>Exact fixtures match the exact length you specify, but they may have dim spots at the ends. Optimal fixtures are slightly shorter than the length specified, but provide full illumination from end to end. See Exact/Optimal Fixture Length charts. | O   | Optimal Illumination | E   | Exact Specified Length |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CL2  | Class 2  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CL2P   | Plenum Rated   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CC   | Concealed Clip   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| MG   | Magnet   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| TBC-03   | 9/16" Flat TB-Grid   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| TBC-04   | 15/16" Flat or Tegular TB-Grid   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| TBC-05   | 9/16" Tegular TB-Grid  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| ST   | Satin  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BK   | Black  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| BZ   | Bronze   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| WH   | White  |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| CU   | Custom   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| O  | Optimal Illumination   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |
| E  | Exact Specified Length   |          |         |              |   |             |                |             |         |                |                    |                |                                |                 |                       |  |            |   |     |          |     |             |     |             |     |                |   |  |     |                      |     |                        |  |       |   |      |              |   |   |       |                          |       |               |       |               |  |     |                      |    |                          |      |              |       |               |   |    |       |    |       |

When using TBC Mounting, a bare wire S2A/A2B wire feed is recommended. See install instructions for details.

BW: Standard length is 36". Max length is 120". Request custom length by writing in part number next to BW (example: BW48)


BW: Standard length is 36". Max length is 120". Request custom length by writing in part number next to BW (example: BW48)




# VERS-ASYMMETRIC (09) STATIC WHITE

24VDC Linear Fixtures - Surface & Recessed


## 1 PRODUCT - DIMENSIONS




Profile with lens




Profile with concealed clip




Profile with magnetic clip




Profile with magnet mount clip & magnetic mount accessory




Profile with TBC-03




Profile with TBC-04




Profile with TBC-05




Profile with Louver




Profile with concealed clip and louver




Profile with magnetic clip and louver




Profile with magnet mount clip, magnetic mount accessory & louver




Profile with Louver




Profile with concealed clip and louver




Profile with magnetic clip and louver




Profile with magnet mount clip, magnetic mount accessory & louver




Profile with TBC-05 & Louver



Profile with TBC-06 & Louver



Profile with TBC-07 & Louver



Profile with TBC-08 & Louver

## 2 DELIVERED LUMENS

[Calculated L70 = 70000 hrs, L70 = 66000 hrs for HE]  
Tested with VERS-09-SW-\*\*-30-DRY


|      | 1.5 W/FT |     | 1.5HE W/FT |     | 3.0 W/FT |     | 3.0HE W/FT |     | 4.0 W/FT |     | 5.0 W/FT |     | 6.0HE W/FT |     | 9.0HE W/FT |     |
|------|----------|-----|------------|-----|----------|-----|------------|-----|----------|-----|----------|-----|------------|-----|------------|-----|
|      | LM/FT    | CRI | LM/FT      | CRI | LM/FT    | CRI | LM/FT      | CRI | LM/FT    | CRI | LM/FT    | CRI | LM/FT      | CRI | LM/FT      | CRI |
| ASYM | 146      | 98  | 175        | 98  | 256      | 98  | 332        | 98  | 313      | 98  | 383      | 98  | 629        | 98  | 882        | 98  |



# VERS-ASYMMETRIC (09) STATIC WHITE


24VDC Linear Fixtures - Surface & Recessed

## 5 DIODE VISIBILITY



## PHOTOMETRIC PERFORMANCE

Nominal beam spread shown, beam spread varies based on light engine. For more detailed information, see photometric data.





## TEMPERATURE RATINGS

|     |                                  | 1.5 W/FT |       | 1.5 HE W/FT |       | 3.0 W/FT |       | 3.0 HE W/FT |       | 4.0 W/FT |       | 5.0 W/FT |       | 6.0 HE W/FT |       | 9.0 HE W/FT |       |
|-----|----------------------------------|----------|-------|-------------|-------|----------|-------|-------------|-------|----------|-------|----------|-------|-------------|-------|-------------|-------|
|     |                                  | Min      | Max   | Min         | Max   | Min      | Max   | Min         | Max   | Min      | Max   | Min      | Max   | Min         | Max   | Min         | Max   |
| DRY | Ambient Operating Temp - Surface | -4°F     | 140°F | -4°F        | 145°F | -4°F     | 130°F | -4°F        | 135°F | -4°F     | 125°F | -4°F     | 120°F | -4°F        | 120°F | -4°F        | 100°F |

## 6 EXTERNAL LOUVER

PLASTIC






# VERS-ASYMMETRIC (09) STATIC WHITE


24VDC Linear Fixtures - Surface & Recessed

## 7 WIRE INPUT/OUTPUT

ASYMMETRIC ONLY SINGLE (Input only)



ASYMMETRIC ONLY PASS THROUGH (Input/Output)







# VERS-ASYMMETRIC (09) STATIC WHITE

24VDC Linear Fixtures - Surface & Recessed


## CONFIGURATION OPTIONS




Single End Feed




Single End Feed




Connection by others  
Non-Continuous End Feed




Connection by others  
Non-Continuous End Feed




Connection by others  
Non-Continuous Corner Feed




Connection by others  
Non-Continuous Corner Feed




Continuous Bottom Feed




Continuous Bottom Feed




Continuous Side Feed - Left




Continuous Side Feed - Left



Continuous Side Feed - Right




Continuous Side Feed - Right




Continuous End to End Feed

## 8 / 9 CONNECTOR/WIRE - IN/OUT

Connector/Wire In or Out not needed to specify product.



Bare Wire 36"  
22 AWG



## 10 WIRE COLOR






# VERS-ASYMMETRIC (09) STATIC WHITE

## 24VDC Linear Fixtures - Surface & Recessed

### 12 MOUNTING

CC  
(CC-01)




Concealed Clip

2 pieces of hardware provided for 4' or less; 4 pieces of hardware provided for greater than 4'

To order separately use CC-01 (sold in pairs)

Each clips comes with a #4 x 5/8" Flat Head screw.

CC  
(CC-02)




Louver Concealed Clip  
Required if L1 or L2 Louver is selected

2 pieces of hardware provided for 4' or less; 4 pieces of hardware provided for greater than 4'

To order separately use CC-02 (sold in pairs)

Each clips comes with a #4 x 5/8" Flat Head screw.

MG




Magnet Clip

One MG provided per foot

To order separately use MG-02

MMA-02




Magnet Mount  
Accessory for MG-02

Sold separately, to order use MMA-02

Each clip comes with a #6 Flat Screw

Required when mounting to a non-magnetic surface

TBC-03



Plastic T-Bar Clip


Use on 9/16" Flat Drop Ceiling

2 clips provided for first 12"; 1 clip provided for each additional 12" or less length. 1 T-Bar Mounting Jig included with each fixture.

To order separately use TBC-03

Each pair of clips comes with M2.5 x 4mm set screw and Allen key

TBC-04



Plastic T-Bar Clip


Use on 15/16" Flat or Tegular Drop Ceiling

2 clips provided for first 12"; 1 clip provided for each additional 12" or less length. 1 T-Bar Mounting Jig included with each fixture.

To order separately use TBC-04

Each pair of clips comes with M2.5 x 4mm set screw and Allen key

TBC-05



Plastic T-Bar Clip

Use on 9/16" Tegular Drop Ceiling

2 clips provided for first 12"; 1 clip provided for each additional 12" or less length. 1 T-Bar Mounting Jig included with each fixture.

To order separately use TBC-05

Each pair of clips comes with M2.5 x 4mm set screw and Allen key

### 13 FINISH



Custom finishes require a longer lead time, consult factory




# VERS-ASYMMETRIC (09) STATIC WHITE

24VDC Linear Fixtures - Surface & Recessed


## 15 EXACT/OPTIMAL FIXTURE LENGTH

Exact fixtures are the exact length specified. Optimal fixtures' length is rounded down based on LED cut points to allow the fixture to be illuminated end to end. For runs with multiple fixtures that need to fill a specific length, it's recommended to order all optimal fixtures with an exact fixture at the end of the run.




## SW DRY LENGTHS BY INCH

### EXACT LENGTH

| Requested Length | Potential dim spot on either end of a S1 fixture<br> |
|------------------|---|
| 12"              | 0.5"  |
| 13"              | 0.5"  |
| 14"              | 0.5"  |
| 15"              | 0.5"  |
| 16"              | 0.5"  |
| 17"              | 0.5"  |
| 18"              | 0.5"  |
| 19"              | 0.5"  |
| 20"              | 0.5"  |
| 21"              | 0.5"  |
| 22"              | 0.5"  |
| 23"              | 0.5"  |
| 24"              | 0.5"  |
| 36"              | 0.5"  |
| 48"              | 0.5"  |
| 60"              | 0.5"  |
| 72"              | 0.5"  |
| 84"              | 0.5"  |
| 96"              | 0.5"  |

### OPTIMAL LENGTH

| Requested Nominal Length | S1A/B & S2A/B   |   | P1A/B & P2A/B   |  | S3A/B & S4A/B   |   | P3A/B & P4A/B   |   |
|--------------------------|---|---|---|--|---|---|---|---|
|                          |  |  |  |  |  |  |  |  |
| 12"                      | 11.49"  |   | 11.74"  |  | 11.34"  |   | 11.44"  |   |
| 13"                      | 12.49"  |   | 12.74"  |  | 12.34"  |   | 12.44"  |   |
| 14"                      | 13.49"  |   | 13.74"  |  | 13.34"  |   | 13.44"  |   |
| 15"                      | 14.49"  |   | 14.74"  |  | 14.34"  |   | 14.44"  |   |
| 16"                      | 15.49"  |   | 15.74"  |  | 15.34"  |   | 15.44"  |   |
| 17"                      | 16.49"  |   | 16.74"  |  | 16.34"  |   | 16.44"  |   |
| 18"                      | 17.49"  |   | 17.74"  |  | 17.34"  |   | 17.44"  |   |
| 19"                      | 18.49"  |   | 18.74"  |  | 18.34"  |   | 18.44"  |   |
| 20"                      | 19.49"  |   | 19.74"  |  | 19.34"  |   | 19.44"  |   |
| 21"                      | 20.49"  |   | 20.74"  |  | 20.34"  |   | 20.44"  |   |
| 22"                      | 21.49"  |   | 21.74"  |  | 21.34"  |   | 21.44"  |   |
| 23"                      | 22.49"  |   | 22.74"  |  | 22.34"  |   | 22.44"  |   |
| 24"                      | 23.49"  |   | 23.74"  |  | 23.34"  |   | 23.44"  |   |
| 36"                      | 35.49"  |   | 35.74"  |  | 35.34"  |   | 35.44"  |   |
| 48"                      | 47.49"  |   | 47.74"  |  | 47.34"  |   | 47.44"  |   |
| 60"                      | 59.49"  |   | 59.74"  |  | 59.34"  |   | 59.44"  |   |
| 72"                      | 71.49"  |   | 71.74"  |  | 71.34"  |   | 71.44"  |   |
| 84"                      | 83.49"  |   | 83.74"  |  | 83.34"  |   | 83.44"  |   |
| 96"                      | 95.49"  |   | 95.74"  |  | 95.34"  |   | 95.44"  |   |




# VERS-ASYMMETRIC (09) STATIC WHITE

24VDC Linear Fixtures - Surface & Recessed

## SW-HE DRY LENGTHS BY INCH

### EXACT LENGTH

| Requested Length | Potential dim spot on either end of a S1 fixture<br> |
|------------------|---|
| 12"              | 1"  |
| 13"              | 0.5"  |
| 14"              | 1"  |
| 15"              | 0.5"  |
| 16"              | 1"  |
| 17"              | 0.5"  |
| 18"              | 1"  |
| 19"              | 0.5"  |
| 20"              | 1"  |
| 21"              | 0.5"  |
| 22"              | 1"  |
| 23"              | 0.5"  |
| 24"              | 1"  |
| 36"              | 1"  |
| 48"              | 1"  |
| 60"              | 1"  |
| 72"              | 1"  |
| 84"              | 1"  |
| 96"              | 1"  |

### OPTIMAL LENGTH

| Requested Nominal Length | S1A/B & S2A/B<br><br>End Feed | S2<br><br>Bottom Feed | P1A/B & P2A/B<br><br>End Feed | P2<br><br>Bottom Feed | S3A/B & S4A/B<br><br>Side Feed - Left | S4<br><br>Side Feed - Right | P3A/B & P4A/B<br><br>Side Feed - Left | P4<br><br>Side Feed - Right |
|--------------------------|--|--|--|---|--|--|--|--|
| 12"                      | 10.49"   |  | 10.74"   |   | 10.34"   |  | 10.44"   |  |
| 13"                      | 12.49"   |  | 12.74"   |   | 12.34"   |  | 12.44"   |  |
| 14"                      | 12.49"   |  | 12.74"   |   | 12.34"   |  | 12.44"   |  |
| 15"                      | 14.49"   |  | 14.74"   |   | 14.34"   |  | 14.44"   |  |
| 16"                      | 14.49"   |  | 14.74"   |   | 14.34"   |  | 14.44"   |  |
| 17"                      | 16.49"   |  | 16.74"   |   | 16.34"   |  | 16.44"   |  |
| 18"                      | 16.49"   |  | 16.74"   |   | 16.34"   |  | 16.44"   |  |
| 19"                      | 18.49"   |  | 18.74"   |   | 18.34"   |  | 18.44"   |  |
| 20"                      | 18.49"   |  | 18.74"   |   | 18.34"   |  | 18.44"   |  |
| 21"                      | 20.49"   |  | 20.74"   |   | 20.34"   |  | 20.44"   |  |
| 22"                      | 20.49"   |  | 20.74"   |   | 20.34"   |  | 20.44"   |  |
| 23"                      | 22.49"   |  | 22.74"   |   | 22.34"   |  | 22.44"   |  |
| 24"                      | 22.49"   |  | 22.74"   |   | 22.34"   |  | 22.44"   |  |
| 36"                      | 34.49"   |  | 34.74"   |   | 34.34"   |  | 34.44"   |  |
| 48"                      | 46.49"   |  | 46.74"   |   | 46.34"   |  | 46.44"   |  |
| 60"                      | 58.49"   |  | 58.74"   |   | 58.34"   |  | 58.44"   |  |
| 72"                      | 70.49"   |  | 70.74"   |   | 70.34"   |  | 70.44"   |  |
| 84"                      | 82.49"   |  | 82.74"   |   | 82.34"   |  | 82.44"   |  |
| 96"                      | 94.49"   |  | 94.74"   |   | 94.34"   |  | 94.44"   |  |

## COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

| DIM TO LEVEL | INDOOR   |  |
|--------------|--|--|
|              | SW24/1.5-4.0   | SW24/5.0, SW-HE, SW-HE+  |
| Dim to Black | Q6M-DC+CAP<br>QTM-DC+CAP<br>iQ-PH+QD1  | Q6M-DC+CAP<br>QTM-DC+CAP<br>iQ-PH+QD1  |
| 0.1%         | QT-CAB-QZ-PH/0-10V<br>QT-CAB-eLED+0-10V<br>QT-CAB-eLED+0-10V-AWN<br>QT-CAB-eLED+DALI-DT6<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+0-10V<br>QTM-eLED+0-10V-AWN<br>QTM-eLED+DALI-DT6<br>QTM-eLED+DALI-DT6-AWN<br>QZ-BOWTIE+DIMMER<br>QZ-DMX<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP | QT-CAB-QZ-PH/0-10V<br>QT-CAB-eLED+0-10V<br>QT-CAB-eLED+0-10V-AWN<br>QT-CAB-eLED+DALI-DT6<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+0-10V<br>QTM-eLED+0-10V-AWN<br>QTM-eLED+DALI-DT6<br>QTM-eLED+DALI-DT6-AWN<br>QZ-BOWTIE+DIMMER<br>QZ-DMX<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP |
| 1%           | QTM-eLED(E)<br>QZ-DALI-DT6   | QTM-eLED(E)<br>QZ-DALI-DT6   |
| 10%          | Non-Dim Power Supply with SW App Dongle  | Non-Dim Power Supply with SW App Dongle  |





# VERS-ASYMMETRIC (09) STATIC WHITE

## 24VDC Linear Fixtures - Surface & Recessed

| DIMMING PROTOCOL | INDOOR   |  |
|------------------|--|--|
|                  | SW24/1.5-4.0   | SW24/5.0, SW-HE, SW-HE+  |
| Non-Dim          | QT-CAB-eLED-ND<br>QTM-eLED-ND<br>QZ-ND   | QT-CAB-eLED-ND<br>QTM-eLED-ND<br>QZ-ND   |
| Phase            | Q6M-DC+CAP<br>QT-CAB-QZ-PH/0-10V<br>QTM-DC+CAP<br>QTM-eLED(E)<br>QZ-BOWTIE+DIMMER<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP<br>iQ-PH+QD1           | Q6M-DC+CAP<br>QT-CAB-QZ-PH/0-10V<br>QTM-DC+CAP<br>QTM-eLED(E)<br>QZ-BOWTIE+DIMMER<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP<br>iQ-PH+QD1           |
| 0-10V            | QT-CAB-QZ-PH/0-10V<br>QT-CAB-eLED+0-10V<br>QT-CAB-eLED+0-10V-AWN<br>QTM-eLED+0-10V<br>QTM-eLED+0-10V-AWN<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP | QT-CAB-QZ-PH/0-10V<br>QT-CAB-eLED+0-10V<br>QT-CAB-eLED+0-10V-AWN<br>QTM-eLED+0-10V<br>QTM-eLED+0-10V-AWN<br>QZ-PH/0-10V<br>QZ-STICK-PH/0-10V<br>QZLP |
| Lutron Athena    | QT-CAB-eLED+0-10V-AWN<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+0-10V-AWN<br>QTM-eLED+DALI-DT6-AWN   | QT-CAB-eLED+0-10V-AWN<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+0-10V-AWN<br>QTM-eLED+DALI-DT6-AWN   |
| ECO System       | QTM-eLED(E)  | QTM-eLED(E)  |
| DMX              | QZ-DMX   | QZ-DMX   |
| DALI-2: DT6      | QT-CAB-eLED+DALI-DT6<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+DALI-DT6<br>QTM-eLED+DALI-DT6-AWN<br>QZ-DALI-DT6  | QT-CAB-eLED+DALI-DT6<br>QT-CAB-eLED+DALI-DT6-AWN<br>QTM-eLED+DALI-DT6<br>QTM-eLED+DALI-DT6-AWN<br>QZ-DALI-DT6  |
| SCENE App Dimmed | Non-Dim Power Supply with SW App Dongle  | Non-Dim Power Supply with SW App Dongle  |

### COMPATIBLE MOUNTING ACCESSORIES

HINGE - HMB-M

Adjustable mounting bracket - Medium

HINGE - HMB-L

Adjustable mounting bracket - Large

HINGE - HMB-XL

Adjustable mounting bracket - XLarge

Q-PIVOT

Small mounting accessory

Q-ANGLE

Adjustable mounting accessory

QUOVA-STANDARD

QUOVA Knife Edge

NJ-LARGE

J Mounting Bracket

NU-LARGE

U Mounting Bracket

SD-J-LARGE

J Mounting Bracket

BL-LARGE

Backwards L Mounting Bracket

NL-LARGE

L Mounting Bracket

SD-L-LARGE

L Mounting Bracket

MMA-02





Magnet Mount Accessory for MG-02



# VERS-ASYMMETRIC (09) STATIC WHITE

24VDC Linear Fixtures - Surface & Recessed

## COMPATIBLE WIRING ACCESSORIES

|  |   |   |   |
|--|---|---|---|
| <p><b>Q-mini-J</b></p>  <p>UL Listed, miniature junction box, DRY/DMP (WET rated with silicone)</p> | <p><b>Q-mini-J5</b></p>  <p>UL Listed, miniature junction box, DRY/DMP (WET rated with silicone)</p> | <p><b>CON120-EXT</b></p>  <p>10ft Con cable extender<br/>DRY/DMP/WET</p> | <p><b>CON FOUR-FER</b></p>  <p>Splits lead from one to four LED Con connectors<br/>DRY/DMP/WET</p> |
|--|---|---|---|

## COMPATIBLE CONTROL ACCESSORIES

|   |
|---|
| <p><b>SCENE APP DONGLE</b></p>  <p>Wi-Fi or Bluetooth Connectivity</p> |
|---|

## COMPATIBLE APPS

|   |
|---|
| <p><b>NFC APP</b></p>  <p>Read and write DMX addresses and adjust voltage</p> |
|---|