VERS-LOUVER-SK (07) FOR WARM DIM APPLICATIONS

Sustainability Quick Reference Guide

This document offers a quick view of sustainability credits that could be awarded through use of this product. Please note that while QTL products can have a direct impact on obtaining points for sustainability programs, there are additional factors controlled by specifiers and project managers that can earn additional points. These include overall project design, layout, construction practices, the selection of reflective/non-reflective surface treatments, the use of lighting controls systems, etc. Not all variations of product fulfill the listed requirements, please consult spec sheets or listed supplemental documentation for more information.

LEED V4 INTERIOR DESIGN AND CONSTRUCTION

CREDIT	CREDITS SATISFIED	CREDIT DESCRIPTION	DOCUMENTATION
Indoor Environmental Quality (IEQ): Quality of Lighting	1	Color Rendering: This product meets the minimum Color Rendering Index (CRI) requirement of at least 90 and L70 over 24000 hours.	Photometrics
Building Product Disclosure and Optimization.	1	Product Specific EPD (externally verified)	EPD

LEED V4 BUILDING DESIGN AND CONSTRUCTION

CREDIT	CREDITS SATISFIED	CREDIT DESCRIPTION	DOCUMENTATION
Indoor Environmental Quality (IEQ): Interior Lighting	1	Meets Color Rendering Index of 80 or higher and L70 over 24,000 hours *contributes to a total of 1 point provided additional criteria are satisfied in addition to those QTL provides.	Photometrics
Building Product Disclosure and Optimization.	1	Product Specific EPD (externally verified).	EPD

LEED V4.1 INTERIOR DESIGN AND CONSTRUCTION

CREDIT	CREDITS SATISFIED	CREDIT DESCRIPTION	DOCUMENTATION
EQ Credit: Interior Lighting	1	UGR < 19 and CRI at least 90	Spec Sheet
Building Product Disclosure and Optimization - Environmental Product Declarations.	1.5	Product Specific EPD (externally verified).	EPD

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

VERS-LOUVER-SK (07) FOR WARM DIM APPLICATIONS

Sustainability Quick Reference Guide

LEED V4.1 BUILDING DESIGN AND CONSTRUCTION

CREDIT	CREDITS SATISFIED	CREDIT DESCRIPTION	DOCUMENTATION
EQ Credit: Interior Lighting	1	UGR < 19 and CRI at least 90 *in combination with 1 non-luminaire satisfaction.	Photometrics
Building Product Disclosure and Optimization	1	Product Specific EPD (externally verified)	EPD

WELL BUILDING STANDARD V2

CREDIT	CREDITS SATISFIED	CREDIT DESCRIPTION	DOCUMENTATION
Light Concept: L08. Quality, Part 1 (Enhance Color Electric Light Rendering Quality)	1	This product meets the following color rendering requirement: CRI ≥90.	Photometrics
Light Concept: L04. Electric Light Glare Controls.	2	This product has a Unified Glare Rating (UGR) of 16 or lower.	Spec Sheets

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting