




## WA-25

120V GU10 35W Halogen/8W LED Wall Mount



- 30° angled lens cap; holds up to two accessories.
- 6061 Marine Grade Aluminum components are anodized, then a polyester powder coat finish is applied.
- Stainless steel hardware.
- Junction box mount design.
- 10" 18ga. Teflon coated wire leads.
- Clear tempered glass lens, glued in.
- High-temperature silicone O-ring seal used to seal the cap against the body.
- Maximum Wattage: 35W Halogen/8W LED
- Input Voltage: 120V
- Socket: GU 10 Porcelain
- Wet Listed
- Specification-grade, wet-location landscape luminaire for wall mounted fixed downlighting and uplighting applications.

WA-25 Shown in Bronze Texture Powder Coat Finish (BZT)

Dimensions: 3" dia. x 7"

1	2	3	4
PRODUCT	MATERIAL	MOUNTING PLATE	FINISH
WA-25	A		

Sample Part Number: **WA-25-A-1-BK**

1	PRODUCT	2	MATERIAL	3	MOUNTING PLATE	4	FINISH
	WA-25	A	Aluminum	1	4/0 Round Mounting Plate	BG	Beige
				2	4/0 Square Mounting Plate	BB	Black Bronze
				3	3/0 Round Mounting Plate	BK	Black
						BKT	Black Texture
						BZ	Bronze
						BZT	Bronze Texture
						SL	Silver
						WH	White

5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance




WA-25

120V GU10 35W Halogen/8W LED Wall Mount

1

PRODUCT - DIMENSIONS



2

MATERIAL



3

MOUNTING PLATE


Three mounting plate options



4

FINISH

Eight Standard TGIC Free powder coat finishes







**WA-25**  
120V GU10 35W Halogen/8W LED Wall Mount

---

**LAMPS**

MR16 Halogen or LED; GU10 Porcelain  
Maximum wattage: 35W Halogen/8W LED

GU10	GU10
	
EMERY ALLEN 7.0W	EMERY ALLEN 3.0W AMBER