





# NJ-MEDIUM

## J BRACKET - ALUMINUM EXTRUSION




- J bracket featuring a slight reveal to hide the fixture
- Mounts a large family of fixtures
- Surface mounts from the side, best for wall applications
- Paintable finish
- Intended for indoor use only
- Screw mounting track for field installation of fixtures
- Inline brackets slot for seamless run connections
- Durable anodized aluminum

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NJ-MEDIUM		


Sample Part Number: NJ-MEDIUM-ST-48"

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NJ-MEDIUM	ST     Satin BK     Black	1" increments from 2" - 98.43" Tolerance +0.0"/-0.5" Light engine ordered separately


### 1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES



Profile



Profile with: LALO-01



Profile with: THIN-01

Field modifications must comply with QTL's installation methods otherwise warranty is null & void | Surface mount










# NJ-MEDIUM

## J BRACKET - ALUMINUM EXTRUSION

### 2 FINISH




### COMPATIBILITY CHART

	 ARKA	 TELA	 LALO	 THIN	 VEVE	 WURM	 TORQ
Lens Notes	Works with: ARKA-01	Works with: TELA-01	Works with: LALO-01, LALO-03	Works with: THIN-01	Works with: VEVE-01, VEVE-03		
SST-01 Stainless Steel Clip			✓	✓	✓		✓
SST-03 Stainless Steel Clip	✓	✓					
WSCS White Snug Clip Small						✓	
VHB	✓	✓	✓	✓	✓	✓	✓

### PHOTOMETRIC PERFORMANCE

Order separately | Tested with SW24/5.0 at 3000K






## NJ-MEDIUM

J BRACKET - ALUMINUM EXTRUSION

---

### JOINER/CONNECTORS



Inline Bracket

1 per length included

6/32" stainless steel, flat tip set  
screws, 1/8" long